Food and Drug Administration, HHS

(c) The food additive is used at a level not in excess of the amount reasonably required to produce its intended effect in food, or in food-processing, food-packing, or food-storage equipment.

[42 FR 14491, Mar 15, 1977, as amended at 50 FR 3508, Jan. 25, 1985]

§172.829 Neotame.

- (a) Neotame is the chemical N-[N-(3,3-dimethylbutyl)-L-α-aspartyl]-Lphenylalanine-1-methyl ester (CAS Reg. No. 165450-17-9).
- (b) Neotame meets the following specifications when it is tested according to the methods described or referenced in the document entitled "Specifications and Analytical Methods for Neotame" dated April 3, 2001, by the NutraSweet Co., 699 North Wheeling Rd., Mount Prospect, IL 60056. The Director of the Office of the Federal Register has approved the incorporation by reference of this material in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. Copies are available from the Office of Food Additive Safety (HFS-200), Food and Drug Administration's Main Library, 10903 New Hampshire Ave., Bldg. 2, Third Floor, Silver Spring, MD 20993, 301-796-2039. Copies may be examined at the Center for Food Safety and Applied Nutrition's Library, 5001 Campus Dr., rm. 1C-100, College Park, MD 20740, or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http:// www.archives.gov/federal register/ code of federal regulations/
- $ibr_locations.html.$
- (1) Assay for neotame, not less than 97.0 percent and not more than 102.0 percent on a dry basis.
- (2) Free dipeptide acid (N-[N-(3,3dimethylbutyl)-L-α-aspartyl]-Lphenylalanine), not more than 1.5 per-
- (3) Other related substances, not more than 2.0 percent.
- (4) Lead, not more than 2.0 milligrams per kilogram.
- (5) Water, not more than 5.0 percent.
- (6) Residue on ignition, not more than 0.2 percent

- (7) Specific rotation, determined at 20 °C $[\alpha]_D$: -40.0° to 43.4° calculated on a dry basis.
- (c) The food additive neotame may be safely used as a sweetening agent and flavor enhancer in foods generally, except in meat and poultry, in accordance with current good manufacturing practice, in an amount not to exceed that reasonably required to accomplish the intended technical effect, in foods for which standards of identity established under section 401 of the Federal Food, Drug, and Cosmetic Act do not preclude such use.
- (d) When neotame is used as a sugar substitute tablet, L-leucine may be used as a lubricant in the manufacture of tablets at a level not to exceed 3.5 percent of the weight of the tablet.
- (e) If the food containing the additive purports to be or is represented to be for special dietary use, it shall be labeled in compliance with part 105 of this chapter.

[67 FR 45310, July 9, 2002, as amended at 81 FR 5591, Feb. 3, 2016]

§ 172.830 Succinylated monoglycerides.

additive succinvlated The food monoglycerides may be safely used in food in accordance with the following prescribed conditions:

- (a) The additive is a mixture of semiand neutral succinic acid esters of mono- and diglycerides produced by the succinylation of a product obtained by the glycerolysis of edible fats and oils, or by the direct esterification of glycerol with edible fat-forming fatty acids.
- (b) The additive meets the following specifications:

Succinic acid content: 14.8%-25.6% Melting point: 50 °C–60 °C. Acid number: 70-120

- (c) The additive is used or intended for use in the following foods:
- (1) As an emulsifier in liquid and plastic shortenings at a level not to exceed 3 percent by weight of the shortening.
- (2) As a dough conditioner in bread baking, when such use is permitted by an appropriate food standard, at a level not to exceed 0.5 percent by weight of the flour used.